Standard Features & Accessories

All models include
- **Exclusive** VariSimmer™ setting for all burners
- Removable porcelain burner bowls
- Drip tray with roller bearing glides and two-quart drip pan

6G model includes
- Six 15,000 BTU stainless steel burners with porcelain/cast iron caps and automatic ignition/re-ignition
- 12"W. thermostatically controlled steel griddle/simmer plate

6Q model includes
- Six 15,000 BTU stainless steel burners with porcelain/cast iron caps and automatic ignition/re-ignition
- 12"W. grill with flavor generator plates and automatic ignition/re-ignition

4G model includes
- Four 15,000 BTU stainless steel burners with porcelain/cast iron caps and automatic ignition/re-ignition
- 24"W. thermostatically controlled steel griddle/simmer plate (separate burners/controls for left and right sides)

Model Options



VGRT480-6G*
48"W. Six-Burner/
Griddle Rangetop



VGRT480-6Q*
48"W. Six-Burner/
Grill Rangetop



VGRT480-4G*
48"W. Four-Burner/
Double Griddle Rangetop

FINISH DETAILS FOR ALL MODELS
- Stainless Steel (SS), Black (BK), White (WH), Metallic Silver (MS), Graphite Gray (GG), Stone Gray (SG), Taupe (TP), Biscuit (BT), Cotton White (CW), Oyster Gray (OG), Golden Mist (GM), Lemonade (LE), Sage (SA), Mint Julep (MJ), Sea Glass (SE), Iridescent Blue (IB), Viking Blue (VB), Pumpkin (PM), Racing Red (RR), Apple Red (AR), Burgundy (BU), Plum (PL), Chocolate (CH), and Cobalt Blue (CB).
  - o Finish designates color of enamel control panel.
  - o Units have black porcelain grates, black porcelain burner caps, black porcelain grate support/burner bowls and white knobs.
- White (WH)
  - o White finishes have white enamel control panels, black porcelain grates, black porcelain burner caps, white porcelain grate support/burner bowls and white knobs.
- All finishes have stainless steel drip tray pull, and landing ledge.
- Brass Trim Option (BR)—nameplate, drip tray pull, knob bezels and grate support side trim. Brass components have a durable protective coating for maintenance-free normal use

***Shown throughout with 6"H. backguard. See Installation Notes & Accessories for details.**

ORDERING INSTRUCTIONS
First specify model number, and then color code (VGRT480-6G**SS**). If ordering optional brass trim, specify code at end (VGRT480-6GSS**BR**). If ordering optional LP conversion, specify code at end (VGRT480-6GSSBR**LP**).

RELEASED 05/14/08
©2007 VRC—INFORMATION SUBJECT TO CHANGE

Standard Features & Accessories

All models include
- **Exclusive** VariSimmer™ setting for all burners
- Removable porcelain burner bowls
- Drip tray with roller bearing glides and two-quart drip pan

4GQ model includes
- Four 15,000 BTU stainless steel burners with porcelain/cast iron caps and automatic ignition/re-ignition
- 12"W. thermostatically controlled steel griddle/simmer plate
- 12"W. grill with flavor generator plates and automatic ignition/re-ignition

4K model includes
- Four 15,000 BTU stainless steel burners with porcelain/cast iron caps and automatic ignition/re-ignition
- One 27,000 BTU porcelain/cast iron burner with automatic ignition/ re-ignition
- 20"W. steel wok top—standard
- Two-piece porcelain/cast iron grate
- Exclusive—agency-certified center trivet allows use of large stock pots

Model Options



VGRT480-4GQ*
48"W. Four-Burner/
Griddle/Grill Rangetop

VGRT480-4K*
48"W. Four-Burner/
Wok Burner Rangetop

FINISH DETAILS FOR ALL MODELS
- Stainless Steel (SS), Black (BK), White (WH), Metallic Silver (MS), Graphite Gray (GG), Stone Gray (SG), Taupe (TP), Biscuit (BT), Cotton White (CW), Oyster Gray (OG), Golden Mist (GM), Lemonade (LE), Sage (SA), Mint Julep (MJ), Sea Glass (SE), Iridescent Blue (IB), Viking Blue (VB), Pumpkin (PM), Racing Red (RR), Apple Red (AR), Burgundy (BU), Plum (PL), Chocolate (CH), and Cobalt Blue (CB).
  - o Finish designates color of enamel control panel.
  - o Units have black porcelain grates, black porcelain burner caps, black porcelain grate support/burner bowls and white knobs.
- White (WH)
  - o White finishes have white enamel control panels, black porcelain grates, black porcelain burner caps, white porcelain grate support/burner bowls and white knobs.
- All finishes have stainless steel drip tray pull, and landing ledge.
- Brass Trim Option (BR)—nameplate, drip tray pull, knob bezels and grate support side trim. Brass components have a durable protective coating for maintenance-free normal use

***Shown throughout with 6"H. backguard. See Installation Notes & Accessories for details.**

ORDERING INSTRUCTIONS
First specify model number, and then color code (VGRT480-4GQ**SS**). If ordering optional brass trim, specify code at end (VGRT480-4GQSS**BR**). If ordering optional LP conversion, specify code at end (VGRT480-4GSSBR**LP**).

RELEASED 05/14/08
©2007 VRC—INFORMATION SUBJECT TO CHANGE

Dimensions & Specifications

Please see **Installation Notes & Accessories** for important installation information, including backguard high-shelf and island trim.

ALL MODELS

Star-K Kosher Certification for use on the Jewish Sabbath or Jewish holidays

PRODUCT DIMENSIONS

VGRT480-6G
48"W. Six-Burner/ Griddle Rangetop

VGRT480-6Q
48"W. Six-Burner/ Grill Rangetop

VGRT480-4G
48"W. Four-Burner/ Double Griddle Rangetop

VGRT480-4GQ
48"W. Four-Burner/ Griddle/Grill Rangetop

VGRT480-4K
48"W. Four-Burner/ Wok Burner Rangetop



	All models
Overall width	**47-7/8" (121.6 cm)**
Overall height (from bottom)	
To cooking surface	**9-1/4" (23.5 cm)**
To top of island trim	**8-7/8" (22.5 cm)**
To top of 6" backguard	**13-7/8" (35.2 cm)**
To top of 10" backguard	**17-7/8" (45.4 cm)**
To top of high shelf	**31-3/8" (79.7 cm)**
Overall depth (from rear)	
To end of side panel	**24" (61.0 cm)**
To end of control panel	**25-3/4" (65.4 cm)**
To end of knobs	**27-3/4" (70.5 cm)**

RELEASED 05/14/08
©2007 VRC—INFORMATION SUBJECT TO CHANGE

Dimensions & Specifications

CLEARANCE DIMENSIONS



Minimum clearances from adjacent combustible construction

- Cooking surface and below, i.e., 36" (91.4 cm) and below
  - o Sides—0"
  - o Rear
    - 0" with backguard or high-shelf
    - 0" with island trim and non-combustible rear wall
    - 6" (15.2 cm) with island trim and combustible rear wall.
  - o Top grate support—36" (91.4 cm) **Important:** The top grate support **must** be 3/8" (0.95 cm) above the adjacent base cabinet countertop.
- Above cooking surface, i.e., above 36" (91.4 cm)
  - o Sides—6" (15.2 cm)
  - o Within 6" (15.2 cm) side clearance, wall cabinets no deeper than 13" (33.0 cm) must be minimum 18" (45.7 cm) above cooking surface.
- Wall cabinets directly above product must be minimum 36" (91.4 cm) for open top burners above cooking surface

* This minimum height requirement does not apply if a rangehood is installed over the cooking surface.

Do not install two or more units side-by-side.

RELEASED 05/14/08
©2007 VRC—INFORMATION SUBJECT TO CHANGE

UTILITY REQUIREMENTS

GAS
- o Shipped natural gas standard; convert to LP/propane with standard convertible regulator
- o Accepts standard residential 1/2" (1.3 cm) ID gas service line
- o Gas manifold pressure
  - o Natural gas 5.0" W.C.P.
  - o LP/Propane 10.0" W.C.P.

ELECTRICAL
- Four-foot (121.9 cm) cord included with rangetop
- Three-wire with ground/three-prong plug
- 120 V/60 Hz
- Maximum amp usage—
  - o 6G—4.2
  - o 6Q—0.6
  - o 4G—7.2
  - o 4GQ—4.2
  - o 4K—0.6

PLUMBING
Not applicable

Installation Requirements

ACCESS REQUIREMENTS

VGRT480-6G 48"W. Six-Burner/ Griddle Rangetop

VGRT480-6Q 48"W. Six-Burner/ Grill Rangetop

VGRT480-4G 48"W. Four-Burner/ Double Griddle Rangetop

VGRT480-4GQ 48"W. Four-Burner/ Griddle/Grill Rangetop

VGRT480-4K 48"W. Four-Burner/ Wok Burner Rangetop



*120 VAC/60 Hz within 48" (121.9 cm) of right rear of rangetop

	VGRT480-6G	VGRT480-6Q	VGRT480-4G	VGRT480-4GQ	VGRT480-4K
Cutout width			**48" (121.9 cm)**		
Cutout height			**7-1/2" (19.1 cm)****		
Cutout depth			**24" (61.0 cm) min. to 25-3/4" (65.4 cm) max.**		
Surface burner rating					
Four grated burners			15,000 BTU Nat. (4.4 kW)/ 13,500 BTU LP (4.0 kW)	15,000 BTU Nat. (4.4 kW)/ 13,500 BTU LP (4.0 kW)	15,000 BTU Nat. (4.4 kW)/ 13,500 BTU LP (4.0 kW)
Six grated burners	15,000 BTU Nat. (4.4 kW)/ 13,500 BTU LP (4.0 kW)	15,000 BTU Nat. (4.4 kW)/ 13,500 BTU LP (4.0 kW)			
One griddle	15,000 BTU Nat. (4.4 kW)/ 13,500 BTU LP (4.0 kW)			15,000 BTU Nat. (4.4 kW)/ 13,500 BTU LP (4.0 kW)	
One grill		18,000 BTU Nat. (5.3 kW)/ 16,000 BTU LP (4.7 kW)		18,000 BTU Nat. (5.3 kW)/ 16,000 BTU LP (4.7 kW)	
Two griddles (each)			15,000 BTU Nat. (4.4 kW)/ 13,500 BTU LP (4.0 kW)		
One wok burner					27,000 BTU Nat./LP (8.2 kW)

**Top of grate support should be 3/8" (1.0 cm) above countertop.

RELEASED 05/14/08
©2007 VRC—INFORMATION SUBJECT TO CHANGE

✪ Installation Notes & Accessories

A backguard, high-shelf, or island trim must be used for all installations.

6"H. Backguard

- Stainless Steel (SS)
- Coordinates with all finishes

Model	Description	Approx. ship wt. lbs. (kg)
T48BG6	48"W. backguard	24 (10.8)

10"H. Backguard

- Stainless Steel (SS)
- Coordinates with all finishes

Model	Description	Approx. ship wt. lbs. (kg)
T48BG10	48"W. backguard	27 (12.2)

High-shelf

- Stainless Steel (SS)
- Coordinates with all finishes
- Shelf comes attached to a 24"H. backguard

Model	Description	Approx. ship wt. lbs. (kg)
T48HS24	48"W. high-shelf	60 (27.0)

Island Trim

- Stainless Steel (SS)
- Coordinates with all finishes
- For island/peninsula installation
- Can replace backguard if wall is non-combustible

Model	Description	Approx. ship wt. lbs. (kg)
T48TII	48"W. island trim	15 (6.8)

Countertop Side Trim

- Stainless Steel (SS)
- Coordinates with all finishes
- Installs on side of unit; overlaps countertop
- One pair of trim

Model	Description	Approx. ship wt. lbs. (kg)
T24CST	Side trim	2 (0.9)

LP/Propane Conversion Kit

- Allows for field conversion of range from natural gas to LP

Model	Description	Approx. ship wt. lbs. (kg)
LPKRR	Natural to LP/propane conversion kit	2 (0.9)

Compliance Information

WARRANTY INFORMATION*

- One-year full warranty—complete product
- Ten-year limited warranty—surface burners, griddle burners, and grill burners
- Ninety-day limited warranty—cosmetic parts such as glass, painted, and decorative items

* For complete warranty see *Use & Care Guide*. Warranty valid on Viking products shipped within the United States and Canada.

RELEASED 05/14/08
©2007 VRC—INFORMATION SUBJECT TO CHANGE